


JOINT INVENTORS

"EXPRESS MAIL" mailing label No. EL
566463651US.

Date of Deposit: March 29, 2001

I hereby certify that this paper (or fee) is being
deposited with the United States Postal Service
"EXPRESS MAIL POST OFFICE TO
ADDRESSEE" service under 37 CFR §1.10 on
the date indicated above and is addressed to:
Commissioner for Patents, Washington, D.C.
20231


Richard Zimmermann

APPLICATION FOR UNITED STATES LETTERS PATENT

SPECIFICATION

TO ALL WHOM IT MAY CONCERN:

Be it known that we, Ervin Dennis Walter, a citizen of the
United States, residing at 1351 South Street, No. 16, Madison 53715, in the
County of Dane and State of Wisconsin, and Mukesh Allu, a citizen of India,
residing at 5826 Raymond Road, Apt. 2E, Madison 53711, in the County of
Dane and State of Wisconsin, and Scott Andrew Lordi, a citizen of the
United States, residing at 21 North Butler Street, Apt. 307, Madison 53703,
in the County of Dane and State of Wisconsin, and Gary Stanton Holmes, a
citizen of the United States, residing at S5811 Sugar Road, North Freedom
53951, in the County of Dane and State of Wisconsin, and Carl David
Dvorak, a citizen of the United States, residing at 9113 Aspen Grove Lane,
Madison 53717, in the County of Dane and State of Wisconsin, and

Joel Erick Rod, a citizen of the United States, residing at 234 Randolph Drive, #221D, Madison 53717, in the County of Dane and State of Wisconsin, and Sumit Singh Rana, a citizen of India, residing at 6702 Schroeder Road, #23, Madison 53711, in the County of Dane and State of Wisconsin, and Samit Govind Sureka, a citizen of India, residing at 6902 Schroeder Road, Apt. 16, Madison 53711, in the County of Dane and State of Wisconsin, have invented a new and useful “Patient Health Record Access System,” of which the following is a specification.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

PATIENT HEALTH RECORD ACCESS SYSTEM

Cross-Reference to Related Applications

5

This applications claims priority to United States Provisional Patent Application Serial No. 60/214,219, entitled “Integrated Patient and Enterprise Health Record System,” filed June 26, 2000 (attorney docket no. 29794/36547), the disclosure of which is hereby expressly incorporated herein by reference.

10

Field of the Invention

The present invention relates generally to health records management, and more particularly, to a system for providing a patient with access to the patient’s health record.

15

Background of the Invention

A variety of Internet-based systems for providing access to a patient’s health record and related healthcare information have been proposed. Such Internet-based personal or patient medical records either provide patients access only to information that they enter and maintain themselves, or provide them with delayed and limited access to information contained in a separate healthcare information system from which patient health information must be abstracted and uploaded to a web server in regularly scheduled batch processes. A patient is unsure if the information they are viewing is the most up to date and complete. Apart from the ability to view selected portions of information or patient self-generated information, the proposed systems have not provided an effective forum to allow the patient to communicate with their

20

25

health care providers. None of the proposed systems feature secured, real-time access to an integrated patient health record.

Thus, there is a need for a patient health record access system that provides real-time communication between the patient and an integrated Patient Health Record (PHR) and an Enterprise Health Information System (EHIS). Such a system would provide patients with the most up-to-date information. Moreover, patients could avail themselves of electronic health-related services in real-time. Furthermore, a real-time, integrated PHR/EHIS system could provide efficiency, workflow flexibility and connectivity between patients and their health care providers and affiliated staff that are not available using previously disclosed systems.

Brief Description of the Drawings

FIG. 1 is a system block diagram of a patient health record access system in accordance with a preferred embodiment of the invention.

FIG. 2 is a flowchart illustrating operation of the system illustrated in FIG. 1.

FIG. 3 is a flowchart illustrating operation of a content relevancy engine portion of the system illustrated in FIG. 1.

FIG. 4 is a flowchart illustrating operation of the system illustrated in FIG. 1 for viewing of information by the patient.

FIG. 5 is a flowchart illustrating operation of the system illustrated in FIG. 1 for processing messages.

FIG. 6 is a flowchart illustrating operation of the system illustrated in FIG. 1 for accepting and recording information from a patient.

FIG. 7 is a flowchart illustrating operation of the system illustrated in FIG. 1 for scheduling appointments in accordance with a preferred embodiment of the invention.

FIG. 8 is a flowchart illustrating operation of the system illustrated in FIG. 1 for scheduling appointments in accordance with another preferred embodiment of the invention.

FIG. 9 is a flowchart illustrating operation of the system illustrated in FIG. 1 for providing class enrollment.

FIG. 10 is a flowchart illustrating operation of the system illustrated in FIG. 1 for paying bills.

Detailed Description of the Preferred Embodiments

An integrated system provides patients with secure, real-time access to their Personal Health Record and an Enterprise Health Information System (PHR and EHIS, respectively). Access may be provided by way of the Internet and via a Personal Health Portal (PHP) web page. From the secure PHP web page, patients can view information created and maintained by their health care providers and their affiliated staff. The patients can also request services and information from their health care providers and affiliated staff, directly access EHIS-related services, such as scheduling an appointment, paying a bill, enrolling in a class, completing insurance and other forms, and viewing information and Internet services that are relevant to their particular health status.

In a preferred embodiment of the invention a patient health record data server, including a machine-readable media having a data structure containing patient-created data, is coupled by a communication network with a patient interface. The communication network may be the Internet and the patient interface may be a

suitable Internet access device including a browser for supporting a personalized web page. A secure interface securely couples, in real-time, the patient health record server to an enterprise health record system for providing access by the patient to patient-related data retained within the enterprise health record system. Thus, the patient, via the patient interface, may access the patient health record server for manipulating the patient-created data and for accessing the patient-related data from the enterprise health record system.

While described in terms of several preferred embodiments, it will be appreciated that the invention is not limited in scope to the embodiments herein described. Many modifications, alterations and additions may be made without departing from the fair scope of the invention.

Referring to FIG. 1 of the drawings, a patient access system 10 includes a Patient Health Record (PHR) data server 12 and an EHIS data server 14. The PHR data server 12 may be any suitable platform including processing, memory and data storage capability to perform the functions herein described. The PHR data server 12 stores data entered by the patient within a data structure configured within the storage portion of the PHR data server 12. A secure interface or EHIS queue 16 securely couples the PHR server 12 and the EHIS data server 14 for communication of data and information from the PHR data server 12 to the EHIS data server 14. The EHIS Queue 16 provides a real-time secure communication link for information moving from the PHR data server 12 to the EHIS data server 14. This queue is used to transfer information for secure messaging and self-service options. In response to information received from the PHP web page, the PHR data server 12 forwards information to the EHIS queue 16. Information in the EHIS queue 16 is then processed appropriately by the EHIS data server 14.

While the specific configuration of the EHIS data server 14 is not particular to the structure and function of the present invention, preferably, the EHIS data server 14 is a single data repository structured to support both the separation and the sharing of data. As such, the EHIS data server 14 may receive information from existing outpatient and inpatient data management systems via interfaces or from various integrated applications. The EHIS data server 14 may be configured to organize information into a consistent whole to provide a longitudinal patient record. For example, the EHIS data server 14 may be linked to manage all aspects of a patient's hospital health status and care and to support effective management of patient lists, results inquiry management, complete clinical documentation, physician order entry with decision support, nursing workflow and documentation, and discharge planning. The EHIS data server 14 may further be configured to support the inclusion of problem lists, order communications, results reporting, pharmacy management, quick documentation, clinical messaging and communication. Additionally, the EHIS data server may be configured to manage referral information, up-to-date progress notes, lab results, discharge instructions, portions of a patient's record, and emergency summary cards. A suitable data management product that may be adapted as the EHIS data server 14 is the Epicenter[®] Enterprise Data Repository and related suite of products available from Epic System Corporation of Madison, Wisconsin.

The PHR data server 12 includes a patient services application layer 22, a communication layer 24, a patient data manager 26 and a content relevancy engine 28, all of which are suitably linked within an architecture for operation under the direction of the PHR data server 12. The patient data manager 26 includes suitable storage capability, such as magnetic, optical, or other storage technology, for storing patient-created data. The patient services application layer 22 and the communication

layer 24 include routines for managing access and use of the patient-created data, as well as to provide patient services. The PHR data server 12 is further linked, by way of the content relevancy engine 28 to a source of generic data 30 and a source of news, educational and similar materials 32 via a secure connection 34, such as a

5 Internet protocol secure (IPsec) connection or by a file transfer protocol (ftp) connection.

A communication network 36 couples the PHR data server 12 to a patient interface 38. The communication network 36 may include the Internet 40 or other suitable data network, and the PHR data server 12 is linked to the Internet 40 by a

10 web server 42 in a highly secure dual firewall configuration. In this arrangement, a primary fire wall 44 protects the web server 42 and a secondary fire wall 46 protects the PHR data server 12 and the EHIS data server 14 with a communication link 48 coupling the communication network 36 to the PHR data server 12.

In a preferred embodiment of the invention, a shadow server 50 is provided

15 and maintains a copy of at least the patient-related data retained within the EHIS data server 14. A communication link 52 permits the copying of the patient-related data from the EHIS data server 14 to the shadow server 50, and a view access only communication link 56 couples the shadow server 50 to the communication network 36, and hence to the patient interface 38. This arrangement advantageously allows the

20 EHIS data server 14 to be highly available for EHIS systems operation. Alternatively, the communication network 36 may be directly linked to the EHIS data server 14.

Patients access the system 10 by logging into the web server 42 via the patient interface 38. The patient interface 38 is preferably configured as a web page displayed within a web browser running on a suitable platform, and is further

25 preferably configured as a personalized Personal Health Portal (PHP) web page

providing the patient with patient-specific information and links to the features and services offered by the invention. The web server 42 may be any suitable web server platform containing routines for displaying the PHP web page and for managing online communication between a user logged in via an associated PHP web page and the PHR data server 12 and the EHIS data server 14.

A user logging into the system via the PHP web page may or may not be an existing patient of the healthcare enterprise. For existing patient users, the PHR data server 12 may already contain a record for the patient and, as will be described, the user is provided access to the information contained in that record. Some existing patients and new patients may not have a record within the PHR data server 12. These patients will have at least two options for gaining access to the functionality of the system 10. First, the patient may fully register by providing appropriate identifying information. The PHR data server 12 creates a patient record for the user.

A patient may gain access without fully identifying himself or herself. The patient may enter patient data using a user name and identifying information that is anonymous in nature. Access for this “anonymous user” may be limited to predefined functionality. For example, the anonymous user may be permitted only to view information related to services provided by the healthcare enterprise, may be able to create a record or patient created information within the PHR data server 12, may be able to ask questions of the healthcare enterprise and receive responses, and the like. The anonymous user, however, would not be permitted to make appointments or request specific services of the healthcare enterprise. Additionally, should the anonymous user become a patient of the healthcare enterprise, the PHR data server 12 may use the anonymous user record to create a patient record within the PHR data server 12 without requiring the patient to reenter information.

Operation and use of the system is described in more detail with reference to FIGS. 2-10. The flowcharts depicted in FIGS. 2-10 are linked and illustrate the operation of the system 10 in accordance with a preferred embodiment of the invention. The alpha designations indicate the interconnections between the various flowcharts depicted in the figures. Turning to FIG. 2 depicted is a method 200 of providing access by a patient to the PHR data server 12 and the EHIS data server 14. The method 200 begins at step 202 where the patient accesses a public web page, such as an Internet service provider (ISP) home page, with a PHP web page option and selects the PHP web page option, step 204. At step 206, the user attempts to log into the PHP web page, which is provided by the web server 42, using a suitable authentication technology. The web server 42 executes the authentication routine at step 208, and a user authorization determination is made at step 210. If the user is not authorized, the user is returned to the public web page. If the user is authorized, the content relevancy engine 28 functions, step 212, as will be described in connection with FIG. 3, and at step 214, the web server 42 generates and displays the user's PHP web page on the patient interface 38.

From the PHP web page, the user is provided a selection of links providing access to patient-relevant content, information from the patient's enterprise health record, and services associated with the enterprise health information system. If the user does not click on a link within a timeout period causes the web server 42, at step 216, to log the user out and to return the user to the public page.

At step 218 the user clicks a content link. Depending on the type of content selected by the user, step 220, if the item is stored directly in a content database or on the web server 42, at step 224 the content is displayed on the PHP web page.

Otherwise, for items stored as URLs, at step 226 the data retrieval and display option associated with the link opens a separate browser page to display the content.

In a preferred embodiment of the invention, the user may also select: a view option; a secure messaging option, an edit or add notes option; an online form;

5 schedule a prequalified appointment option; schedule an appointment option; enroll in a class option; pay a bill option or log out, respectively, links associated with blocks 228-244.

Referring now to FIG. 3, the content relevancy engine 28 operates in accordance with a method 300 depicted therein. At step 302, the web server 42
10 requests patient-related information from the Shadow Server 14 and caches it on the PHR data server 12. This data includes the user's sex, age, zip code, medical problems and diagnoses (using ICD9 codes), procedures (using CPT codes) and medications (using GPI & NDC) as indicated at block 306. At step 304, another routine on the PHR data server 12 uses page layout specifications associated with the
15 user's PHP web page, which may be specified by the system provider or may be user configurable, to determine what types of content to display, and how many items to display of each type. At step 308, for each type of content specified by the page layout, a routine within the content relevancy engine 28 compares the patient-related data to criteria in the content database. The content database is maintained on the
20 PHR data server 12 and stores available content for display on the PHP web page with each record being categorized by display type, relevance factors, and effective dates as indicated at block 310. The content relevancy engine 28 at step 312 then determines if a content item is relevant based upon the cached patient-related information. At step 314, the content relevancy engine 28 then produces a ranked list
25 of relevant content items, based on a number of matches between the content criteria

and the patient-related information. Then, at step 316, the web server 42 builds the PHP web page according to the page layout (step 308), using the highest-ranking content items for each type of content.

When the user selects a link associated with a view option, secure messaging

option, or self-service option, the PHR data server 12 initiates a routine associated with the link. Link 228 in FIG. 2 initiates a view content routine 400 illustrated in FIG. 4. The system 10 advantageously permits viewing of a wide variety of information types including patient-created information stored within the PHR data server 12 and patient-related information stored within the EHIS data server 14. The

patient-created data may be notes and comments relating to the user's health or requests for information. The patient-related information may be portions of the user's medical record and other information created by the health care professionals and staff. In the preferred embodiment illustrated in FIG. 4, the user may select to view a health summary, a medication list, lab results, health reminders, recent visit

information, medical history, upcoming appointments, messages, immunization information, allergies information, current health issues, financial and insurance information, and records access by selecting an appropriate link associated with the requested information represented by blocks 402-424, respectively. Upon the user

selecting the link, at step 426 the web server 42 receives the data request, and at step

428 initiates a routine to retrieve the requested information, either from the PHR data server 12 or the shadow server 50 (or EHIS data server 14 if so configured). At step 430, the web server 42 updates the PHP web page with the new information. The web server 42 may retrieve the patient-related information from the shadow server 50 in XML format as shown in block 432. Similarly, the web server 42 may retrieve the

patient-created information from the PHR data server 12 in XML format, the patient-created information including user-entered notes or messages.

The system 10 provides ability for the user to send and receive secure messages to the user's health care providers and administrators. Selecting the link

230 in FIG. 2 initiates a secure messaging routine 500 illustrated in FIG. 5. The message types include a request for medical advice; a request for prescription renewal; a request for a referral; a customer service request; a request for a pre-qualified appointment and a request for an appointment, and the user selects the message type by selecting an appropriate link associated with the message type represented by blocks 502-512, respectively. Responsive to the user selecting one of the links 502-512, at step 514, the web server 42 creates a secure messaging form on the PHP web page for the selected message type. At step 516, the user enters the appropriate data and information into the message form. The user may cancel the message, step 518, and be returned to the previous PHP web page, or the user clicks send, step 522. The web server 42 forwards the information to the PHR server 12, step 524, and the PHR server 12 places the user's message in a queue for transmission to the EHIS data server 14. At step 528, the EHIS data server 14 receives the incoming message from the queue, and translates and routes the message to the appropriate destination, and at step 530, the web server 42 updates the PHP web page to reflect that the user's message has been sent.

Selecting the link associated with block 232 (FIG. 2) allows the user to add notes to the patient-created information, and selecting the link associated with the block 234 allows the user to complete forms. Selecting either link 232 or 234 initiates a process 600 illustrated in FIG. 6. Additionally, the user may add information flags to the patient-created information and/or other information contained with the PHR

server 12. The information flag identifies the flagged information and may provide read only access of the information to one or more of the user's health care professionals and staff. Coupled with the information flag, the PHR server 12 is adapted to generate an alert that is communicated to the EHIS data server 14

5 indicating the receipt of the flag. Appropriate messaging may also be generated and communicated to the one or more of the user's health care professionals and staff.

If the user has selected the link associated with block 232, the web server 42 creates an add/edit notes form and displays the form on the PHP web page. At step 604, the user enters or edits the note text in an editing window. If the user selects
10 cancel, step 606, the notes/edits are discarded and the web server 42 returns to the previously displayed PHP web page. If the user clicks to save changes, step 610, the web server 42 forwards the edited text to the PHR data server 12, step 612, and the PHR data server 12 updates the patients notes portion of the patient-created data stored within the PHR data server 12, step 614. The user notes may be unstructured
15 information, such as unstructured text notes, or the notes may be structured information. As an example, to input structured information the user may be presented with a form seeking particular information, such as medications they are currently taking or procedures they have had or will have. The fields within the form may be linked to other data entries in the enterprise health record system, such as
20 reference materials for the entered medication or procedure. Moreover, the information need not be clinical in nature, as described in foregoing examples, but may be administrative in nature, such as benefits information.

A similar process occurs if the user has selected the link associated with block 234. The web server 42 creates an online form, such as an insurance form or medical
25 history form, and displays the form on the PHP web page, step 616. At step 618, the

user enters information into the form in an editing window. If the user selects cancel, step 620, the information and form are discarded and the web server 42 returns to the previously displayed PHP web page, step 608. If the user clicks to save changes, step 622, the web server 42 forwards the edited form to the PHR data server 12, step 624, and the PHR data server 12 forwards the information from the edited form to the EHIS server 50, step 626, where it is processed appropriately. The web server 42 then returns the user to the previous PHP web page, step 608.

By selecting the link associated with the block 236 (FIG. 2) the user may schedule a prequalified appointment in accordance with a process 700 illustrated in FIG. 7. Upon selecting the link, the web server 42 queries the shadow server 50 for a list of available appointments for the current user, step 702. Whether prequalified appointments are available will depend on the existence of a scheduling ticket illustrated at 704. The scheduling ticket is provided by the shadow server 50 responsive to input received from a care provider and specifies which providers are available, what procedures are required and dates and times that the appointment may be scheduled. If there are appointments available, step 706, the web server 42 updates the PHP web page with a listing of the appointments, step 708. At step 710, the user selects an appointment to schedule and, if necessary, provides additional information necessary to narrow the search for dates, times, etc. The user may also cancel the process at step 712, and web server 42 returns the user to the PHP web page.

Otherwise, at step 714, the PHR data server 12 requests available appointments from a scheduling engine portion (not depicted) of the shadow server 50. If there are no appointments that meet the user specified criteria, step 716, the web server 42 updates the PHP web page, and the user is requested to enter revised information. Otherwise, at step 718 the web server 42 displays the list of available appointment times on the

PHP web page. At step 720, the user selects an appointment, and the web server 42 forwards the appointment selection to PHR data server 12, which places the request in the EHIS queue 16 for processing by the EHIS data server 14. When the appointment is booked, the updated appointment information flows via the shadow server 54 from the EHIS data server 14 to the web server, which updates the PHP web page with the selected appointment summary information, step 728. The web server 42 also updates the scheduling ticket to reflect that a prequalified appointment has been scheduled. The user may otherwise cancel the scheduled appointment at step 722 and be returned to the PHP web page.

A second appointment option is initiated by selecting the link associated with block 238 (FIG. 2), which starts a process 800 illustrated in FIG. 8. After the user selects the link 238, the web server 42 queries the shadow server 50 for a list of available providers for the user, step 802. At step 804, the web server 42 updates the PHP web page with a list of the providers. At step 806, the user selects a provider and provides additional information, such as dates and times for the appointment. The user may also cancel, step 808, and the web server 42 returns the user to the PHP web page. Otherwise, at step 810 the PHR data server 12 requests available appointments information from the scheduling engine portion of the shadow server 50. If there are no appointments within the date and time range provided by the user, step 812, the web server 42 updates the PHP web page for the user to provide additional information. Otherwise, the web server 42 updates the PHP web page with a list of the available appointments, step 814. At step 816, the user selects an appointment or cancels the process, step 818. If an appointment is requested, the web server 42 forwards the appointment information to the PHR data server 12, which places the information in the EHIS queue 16 for processing by the EHIS data server 14. When

the appointment is booked, the updated appointment information flows via the shadow server 54 from the EHIS data server 14 to the web server, which updates the PHP web page with the selected appointment summary information, step 822.

By the user selecting the link associated with block 240 (FIG. 2) a process 900

illustrated in FIG. 9 is started that allows the user to enroll in a class. After the user selects the link 240, the web server 42 queries the shadow server 50 for a list of available classes for the user, step 902. At step 904, the web server 42 updates the PHP web page with a list of the classes. At step 906, the user selects a class or cancels the process, step 908. If the user cancels the process, the web server 42 returns the user to the PHP web page. Otherwise, at step 910 the PHR data server 12 requests available class times from the scheduling engine portion of the shadow server 50. At step 912, the web server 42 displays the list of available class times, and at step 914 the user selects a class time or cancels. If an appointment is requested, the web server 42 forwards the appointment information to the PHR data server 12, which places the information in the EHIS queue 16 for processing by the EHIS data server 14. When the appointment is booked, the updated appointment information flows via the shadow server 54 from the EHIS data server 14 to the web server, which updates the PHP web page with the selected appointment summary information, step 920. If the process is cancelled, the web server 42 returns the user to the PHP web page.

By selecting the link associated with the block 242 (FIG. 2) the user may initiate a process 1000 illustrated in FIG. 10 for paying a bill. The process 1000 begins at step 1002 with the web server 42 making a query of the shadow server 50 for accounts for the user. The web server 42 at step 1004 updates the PHP web page with an accounts listing. The user may select an account at step 1006, or may cancel, step 1008. If the user cancels, the web server 42 returns the user to the PHP web

page, step 1010. If the user does select an account, at step 1012 a routine on the PHR data server 12 requests information from an accounts receivable engine portion (not depicted) of the shadow server 50. The account is checked to determine if there is an outstanding balance, step 1014. The user may then return to the PHP web page

5 providing the account listing. The user may elect to pay all or a portion of any balance due or may elect to pay ahead to develop an account credit toward an upcoming procedure. To permit the user to make a payment, the web server 42 displays a pay online option for the account, step 1016. The user may click the pay online option, step 1018, and the web server updates the PHP web page with an online
10 payment form, step 1020. The user completes the online payment form, step 1022, or the user may cancel the process, step 1024 and be returned to the PHP web page. At step 1026, the web server 42 forward the information from the completed payment form to the PHR data server 12, which places the information in the EHIS queue 16 for processing by the EHIS data server 14. When the payment is processed by the
15 EHIS data server, the information flows via the shadow server to the web server 42, which updates the PHP web page 38 with a message indicating that the payment has been submitted, step 1028. The invention has been described in terms of several preferred embodiments, including a number of features and functions. Not all features and functions are required for every embodiment of the invention, and in this
20 manner the invention provides a flexible system by which a user may access patient records, send and receive messages, retrieve information, schedule appointments, renew prescriptions, pay bills and the like. The features discussed herein are intended to be illustrative of those features that may be implemented; however, such features should not be considered exhaustive of all possible features that may be implemented

in a system configured in accordance with the preferred embodiments of the invention.

FIG. 1 is a block diagram of a system configured in accordance with the preferred embodiments of the invention.